2727

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2767	037	03 27 75	28AI	3526	7525

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0009	13	13	06	057	Y	NE	20

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
5	PC	SA	S	FT	151	—	15	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00296	—	—	00004

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H4	3L1			PO	DO
START	35°26'	75°25'	1158	4822	9		1534	1535
							PU	ON
FINISH	35°24'	75°24'	1136	4818	9		1605	1610

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
50	1100 2/5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

Recorded on Sirad

OBSERVATIONS

Negative Mudrooms

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore276700unse

R/V DAN MOORE SPECIES LIST

STA. NO. 2767 DATE 27 Mar 1975 BIOLOGISTS BFH, JG, ABP

TOT.CATCH WT. 300 Finfish: Crust.: Moll.: Other

AIR 6 SURFACE 12.8 B 13.0 (Thermister)

Factor = See below

SPECIES	CODE	NUMBER	WEIGHT	DATA TAKEN	REMARKS
Mustelis canis		11	52	$\bar{x}$ = 4.7	TOTAL
Lophius americanus		1	8	$\bar{x}$ = 8	TOTAL
Torpedo nobiliana		1	86	$\bar{x}$ = 86	TOTAL
Sample			154		
Subsample			56	(USE 53	
	Factor = 154/53			for below only,	= 2.91
				Wt. pds	Tot. pds / X wt
Peprilus triacanthus	NC	78	11	11	32.01 / .14
" "	C	10	3	3	8.73 / .30
Pomatomus saltatrix	NC	33	7	7	20.37 / .21
" "	C	3	.80 KG	1.76	5.12 / .59
Microbrogon undulatus	C	33	13	13	37.83 / .39
Leiostomus xanthurus	NC	73	11	11	32.01 / .15
" "	C	1	.16 KG	.35	1.02 / .35
Brevoortia tyrannus	C	1	.24 KG	.53	1.54 / .53
Trichiurus lepturus	NC	2	.06 KG	.13	.37 / .06
Baindiella chrysura	NC	5	.52 KG	1.14	3.32 / .23
Larimus fasciatus	NC	1	.14 KG	.31	.68 / .31
Cynoscion regalis	NC	21	2	2	5.82 / .10
Limulus polyphemus		1	.62 KG	1.36	3.96 / 1.36
				52.58 pds.	152.78